



Smooth feed alley – healthy animals



**Perfect for
„do-it-yourself“**

Why is hygiene on the feed alley that important?

The feed alley is under extreme stress because of the silo acids – daily. The continuous damaging causes rifts and wholes in which the fodder sticks. This rest hosts instantly lots of germs, bacteria and parasites.

To save the health of the animals by the consumption of those pathogens a coating of new feed alleys or a renovation of a worn out surface is absolutely necessary.

With **Desical® agroCoating** one of the main infection routes can be removed.




With their sensible tongues cows are licking hundreds of times a day over the surface of the feed alley.

Smear layers are built in rifts and wholes. These are perfect living conditions for germs.



**New feed alleys to be coated.
Worn out ones to be renovated ...**

we have a practical
„do-it-yourself“-solution for
every situation!



For each feed alley the optimal coating

... it's also suitable for a sectional
renovation in an utilised stable.

DESICAL[®] agroCoating PowerGrip

Transparent two component reactive polymer
based on epoxy resin

The primer for each case

- ➔ provides perfect fitting for following epoxy resin coating
- ➔ easy application – reliable performance
- ➔ transparent epoxy resin for all surfaces on the floor and wall

**A smooth feed alley needs
a solid basis!**



DESICAL[®] agroCoating easyFill

mineral compound with epoxy resin binder

NEW!

The basic renovation for very worn out areas

- ➔ fills reliable deep unevennesses
- ➔ easy processing
- ➔ twice as resilient as concrete



quick and easy
to combine with PowerGrip
and Basic

DESICAL[®] agroCoating Basic

Prefilled, pigmented two component reactive polymer
based on epoxy resin

The trump to renovate older feed alleys

- ➔ fills perfectly smaller unevennesses
- ➔ applicable up to concrete surface structure
- ➔ smoothes worn out feed alleys



Details for
processing:
www.desical.com
➔ agroCoating

DESICAL[®] agroCoating Top-F


Pigmented two component reactive polymer
based on epoxy resin

The reliable coating for a new feed alley

- ➔ for new stables and smooth areas
- ➔ extremely smooth surfaces
- ➔ friendly to tongues



**Smooth surfaces
raise the feed intake!**



**Your cows can nearly
reflect themselves ...**



The advantages speak for themselves:

- ➔ resistant to silo acids and chemicals
- ➔ easy application and safe handling
- ➔ tested for the suitability in the food sector
- ➔ perfectly adapted method for renovating older stables
- ➔ durable covering for clean fodder and healthy animals

Development and Production:

P&T Technische Mörtel GmbH & Co. KG
Bataverstr. 84 · 41462 Neuss
www.eurogrout.de



Further Informations of the **DESICAL**® assortment:
www.desical.com

or call us:

+49-(0)173-3755007 (Germany)



AgroTeam

AgroTeam Hähnel & Möhlenkamp oHG
Buchenweg 2 · 49774 Lähden

Tel.: +49 (0)59 64-939 9993 · Fax: +49 (0)59 64-17 49
E-Mail: info@agroteam-ohg.de
www.agroteam-ohg.com